



Exceeding The Limits To Always Get The Best



1200x2400MM



CONNECTING THE VALUE OF SLAB





CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of porcelain slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.


PRODUCT Formats



The thicknesses are one of the most important elements characterizing.

15 mm is set aside for the most demanding product applications such as kitchen countertops.

EDGE Profiles



Double straight rounded edge



Rounded straight edge



Half bullnose




Full bullnose



Demi bullnose



Micro bevel



Straight squared edge



Double straight squared edge



Rounded edge at 45°



Squared edge at 45°

Giving a nice trim to the edges of the tiles adds to its beauty.

As these tiles are of the good thickness of 15mm it is possible to shape its edges in different styles and create aesthetically rich countertops for your space.


JOINT POSSIBILITIES



Birds beak




45° corner



Soft corner





Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of
The Residential Kitchen


Elevating Classic Style
for Today's Homeowner

Leading Edge Design
and Innovation


PRODUCT
Range




BLUE PEARL




Gold Black




ACHROMIC GREY



Emperador Grey



William Grey



Bianco Perlino



Bottochino Venato



Trani Fiorito




Arabescato Gold



Calacatta Roman Beige




Golden Posa



Pearl White




Statuario Delicato



Royal Quartzite




Black Fusion




Marine Black



Bagnara



Sary Gris



Bluetee



Breccia Aurora




Marfil Valencia



Apuane Statuario



Bianco Carrara



Crystal Aquanex



Macaubas Quartzite



Patagonia Bianco



VENETINO




Forest Green



Salina Blanco



Branco Commum



Strome Root



Antresit Beige



Bressia Oniciata




Rocersa Imperiale



Antresit Bianco



Calcatta Ultra




Gris Moncervetto



Mont Blanc



Satuario Pearl



Jet Black

PRODUCT
Finishes

GLOSSY

Glossy is an optical property which indicates how well a surface reflects light in a specular (mirror-like) direction.



APPLICATION Areas

KITCHEN COUNTERTOP



DINING TABLE



LIVING ROOM



FURNITURE



STAIRCASE



OFFICE TABLE



TABLE TOP



DOOR \ WINDOW
FRAME



TECHNICAL Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO HIGH
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE




HYGIENIC



RESISTANT TO UV RAYS





BLUE PEARL

**BODY
BLACK BODY**

**FINISH
GLOSSY**

**SIZE
1200x2400 MM**

**THICKNESS
15 MM**




BLACK FUSION

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



FOREST GREEN

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



GOLD BLACK

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



MARINE BLACK

**BODY
BLACK BODY**

**FINISH
GLOSSY**

**SIZE
1200x2400 MM**

**THICKNESS
15 MM**




SALINA BLANCO

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



ACHROMIC GREY

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



BAGNARA

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



BRANCO COMMUM

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



EMPERADOR GREY

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



SARY GRIS

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



STROME ROOT

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



WILLIAM GREY

BODY
GREY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



ANTRESIT BEIGE

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



BIANCO PERLINO

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM




BLUETEE

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM




BOTTOCHINO VENATO

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM




BRECCIA AURORA

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



BRESSIA ONICIATA

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



MARFIL VALENCIA

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



ROCERSA IMPERIALE

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



TRANI FIORITO

BODY
IVORY BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



APUANE STATUARIO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



ANTRESIT BIANCO

**BODY
WHITE BODY**

**FINISH
GLOSSY**

**SIZE
1200x2400 MM**

**THICKNESS
15 MM**




ARABESCATO GOLD

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



BIANCO CARRARA

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



CALCATTÀ ULTRA

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



CALACATTA ROMAN BEIGE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



CRYSTAL AQUANEX

**BODY
WHITE BODY**

**FINISH
GLOSSY**

**SIZE
1200x2400 MM**

**THICKNESS
15 MM**




GRIS MONCERVETTO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



GOLDEN POSA

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



MACAUBASQUARTZITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



MONT BLANC

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



PEARL WHITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM




PATAGONIA BIANCO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



SATUARIO PEARL

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



STATUARIO DELICATO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM




VENETINO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
1200x2400 MM

THICKNESS
15 MM



JET BLACK

**BODY
FULL BODY**

**FINISH
GLOSSY**

**SIZE
1200x2400 MM**

**THICKNESS
15 MM**



ROYAL QUARTZITE

**BODY
FULL BODY**

**FINISH
GLOSSY**

**SIZE
1200x2400 MM**

**THICKNESS
15 MM**

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm²	Min. 42.0 N/mm²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175mřm	Max. 132mřm	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(< ¹²) / Posh ≥P ¹ (¹² - ²⁴)	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R ¹³	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polished
** Except Hydrofluoric Acid & it's compound
Tiles Intended for use on floor
As per customer requirement

Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kg)
Glossy	Color Body	1200x2400mm	15mm	1pc	31 Sq ft	98 to 100 Approx
Glossy & Matt	Full Body	1200x2400mm	15mm	1pc	31 Sq ft	98 to 100 Approx